

To: Kevin Shaver (kshaver@gesoncall.com)[kshaver@gesoncall.com]; Francisco Rodriguez[frodriguez@gesoncall.com]
From: Daly, Eric
Sent: Fri 9/16/2016 8:28:29 PM
Subject: DWO #21
[NFB Guardian DWO 09-16-2016 through 09-19-2016 #20.pdf](#)

Attached is the draft DWO. Please let me know if it's good to go. If so, please sign. This DWO will override the previous DWO from 09/16 moving forward. Thanks

Please add

2 connex boxes

200 super sacks

Pallets

Stump grinder as of 9-15

Generators- add 2 for a total of 6. (5kw to 10 kw.)

Office chairs- add 2 -to make a total 10

8X28 Dress out/ screening trailer

Water truck- 2000 to 4000 gallon

34,000 lb excavator- for use in excavation in area 5 and elsewhere- small machine required for loading super sacks.

Regards,

Eric

"We must, indeed, all hang together, or assuredly we shall all hang separately", Benjamin Franklin

Eric M. Daly

On-Scene Coordinator/Radiological Response Specialist

US Environmental Protection Agency- Region II

ERRD/RPB/PPS

2890 Woodbridge Avenue

Edison, NJ 08837

daly.eric@epa.gov

732-321-4350